



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

This is to certify that:

Perlight Solar Co. Ltd.

Oufeng Road, Muyu Administration Area, Zeguo Town, Wenling City,
Zhejiang Province, 317521, P.R. China

is authorised to use the APPROVAL MARK set out above, on the following goods

Product: Solar PV Modules

Brand Name:



Model Name: See page two onwards

Report Number: RDPVP2011029-61215

The product complies with standard(s): MCS 005 Issue 3.1

This Certificate is issued in accordance with the Certification Regulations governing its use and in reliance on the undertaking given by the Licensee and only extends to the use in respect of the goods produced to an acceptable degree of compliance with the Approval Standard. This Certificate is not transferable and remains the property of Intertek Testing and Certification Ltd. This Certificate is accredited under UKAS schedule 0010.

This approval will be reviewed at the date shown, or earlier if preceded by the withdrawal of the Standard on which the Approval of the product was based.	Certification body: ITCL
Limitations: "xxx" refers to the power rating in Watts	Intertek Ref: MCS 0113 Issued Date: 23 November 2021 Review Date: 23 November 2026 Issue No: 1

Nick Jones
Authorising Engineer

Peter Davies
Authorising Manager



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

<u>Brand</u>	<u>Type/Model</u>	<u>Characteristics</u>	<u>Factory Code</u>
PERLIGHT	PLM-xxxOM-78 ZAN-xxxOM-78 EVO-xxxOM-78	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2-78 ZAN-xxxOM2-78 EVO-xxxOM2-78	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2B-78 ZAN-xxxOM2B-78 EVO-xxxOM2B-78	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2A-78 ZAN-xxxOM2A-78 EVO-xxxOM2A-78	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM-78B ZAN-xxxOM-78B EVO-xxxOM-78B	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1

Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

Brand	Type/Model	Characteristics	Factory Code
PERLIGHT	PLM-xxxOM2-78B ZAN-xxxOM2-78B EVO-xxxOM2-78B	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2B-78B ZAN-xxxOM2B-78B EVO-xxxOM2B-78B	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2A-78B ZAN-xxxOM2A-78B EVO-xxxOM2A-78B	445-480 W in steps of 5 W 432 cells 1969 × 1140 × 35 mm, or 1969 × 1141 × 35 mm, or 1969 × 1147 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6-72 ZAN-xxxOM6-72 EVO-xxxOM6-72	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6B-72 ZAN-xxxOM6B-72 EVO-xxxOM6B-72	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

Brand	Type/Model	Characteristics	Factory Code
PERLIGHT	PLM-xxxOM6A-72 ZAN-xxxOM6A-72 EVO-xxxOM6A-72	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6-72B ZAN-xxxOM6-72B EVO-xxxOM6-72B	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6B-72B ZAN-xxxOM6B-72B EVO-xxxOM6B-72B	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6A-72B ZAN-xxxOM6A-72B EVO-xxxOM6A-72B	460-500 W in steps of 5 W 408 cells 2056 × 1140 × 35 mm, or 2056 × 1147 × 35 mm, or 2056 × 1108 × 35 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1

Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

<u>Brand</u>	<u>Type/Model</u>	<u>Characteristics</u>	<u>Factory Code</u>
PERLIGHT	PLM-xxxOM-66 ZAN-xxxOM-66 EVO-xxxOM-66	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2-66 ZAN-xxxOM2-66 EVO-xxxOM2-66	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2B-66 ZAN-xxxOM2B-66 EVO-xxxOM2B-66	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2A-66 ZAN-xxxOM2A-66 EVO-xxxOM2A-66	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

<u>Brand</u>	<u>Type/Model</u>	<u>Characteristics</u>	<u>Factory Code</u>
PERLIGHT	PLM-xxxOM-66B ZAN-xxxOM-66B EVO-xxxOM-66B	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2-66B ZAN-xxxOM2-66B EVO-xxxOM2-66B	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2B-66B ZAN-xxxOM2B-66B EVO-xxxOM2B-66B	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM2A-66B ZAN-xxxOM2A-66B EVO-xxxOM2A-66B	370-400 W in steps of 5 W 360 cells 1646 × 1140 × 35 mm, or 1646 × 1140 × 30 mm, or 1646 × 1147 × 35 mm, or 1646 × 1147 × 30 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

Brand	Type/Model	Characteristics	Factory Code
PERLIGHT	PLM-xxxOM6-60 ZAN-xxxOM6-60 EVO-xxxOM6-60	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6B-60 ZAN-xxxOM6B-60 EVO-xxxOM6B-60	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6A-60 ZAN-xxxOM6A-60 EVO-xxxOM6A-60	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

Brand	Type/Model	Characteristics	Factory Code
PERLIGHT	PLM-xxxOM6-60B ZAN-xxxOM6-60B EVO-xxxOM6-60B	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6B-60B ZAN-xxxOM6B-60B EVO-xxxOM6B-60B	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01
PERLIGHT	PLM-xxxOM6A-60B ZAN-xxxOM6A-60B EVO-xxxOM6A-60B	380-415 W in steps of 5 W 340 cells 1719 × 1147 × 35 mm, or 1719 × 1147 × 30 mm, or 1719 × 1140 × 35 mm, or 1719 × 1140 × 30 mm, or 1719 × 1108 × 35 mm, or 1719 × 1108 × 30 mm	TONGCH.01

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1



Product Approval Certificate

Intertek MCS Mark

Certificate

Certificate No: INT PV30025

Brand	Type/Model	Characteristics	Factory Code
PERLIGHT	PLM-xxxOM10-68 ZAN-xxxOM10-68 EVO-xxxOM10-68	635-655 W in steps of 5 W 408 cells 2355 x 1303 x 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM10-68B ZAN-xxxOM10-68B EVO-xxxOM10-68B	635-655 W in steps of 5 W 408 cells 2355 x 1303 x 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM10-57 ZAN-xxxOM10-57 EVO-xxxOM10-57	530-545 W in steps of 5 W 340 cells 2355 x 1090 x 35 mm	TONGCH.01
PERLIGHT	PLM-xxxOM10-57B ZAN-xxxOM10-57B EVO-xxxOM10-57B	530-545 W in steps of 5 W 340 cells 2355 x 1090 x 35 mm	TONGCH.01

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Ref: MCS 0113
Issued Date: 23 November 2021
Review Date: 23 November 2026
Issue Number: 1