

PROJECT EV

NEW

APEX

WHOLESALE PRODUCT LIST 2024



QUICK & EASY
INSTALLATION



5 YEAR
WARRANTY*



PEN, RCD & SURGE
PROTECTION



DYNAMIC LOAD
BALANCING
UP TO 96 UNITS

THE FUTURE OF EV CHARGING

A FULL RANGE OF AC & DC CHARGERS



**MORE
INFO**



*APEX chargers come in 'EV Steel' as standard, optional coloured front cover plates are sold separately.
*APEX five-year warranty subject to terms and conditions.

APEX 7.3KW AC RANGE (SINGLE-PHASE)

PROJECT EV

APEX-7S



APEX 7.3KW PRO EARTH WALL AC CHARGER UNTETHERED

The APEX-7S is a single-phase, untethered, fast AC EV charger packed full of features, including a five-year warranty² built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WIFI and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.



MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	190MM	320MM	144MM	2.4KG

APEX-7S-4G



APEX 7.3KW PRO EARTH WALL AC CHARGER UNTETHERED

Including identical features & functionality to the APEX-7S, the APEX-7S-4G has the added implementation of 4G connectivity. This connectivity feature allows you to pair your APEX charger via 4G.



MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	190MM	320MM	144MM	2.4KG

APEX-7S-T



APEX 7.3KW PRO EARTH WALL AC CHARGER TETHERED

The APEX-7S-T is a single-phase, tethered, fast AC EV charger packed full of features, including a five-year warranty², built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WIFI and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.



MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	190MM	320MM	144MM	5.6KG

APEX-7S-T-4G



APEX 7.3KW PRO EARTH WALL AC CHARGER TETHERED

Including identical features & functionality to the APEX-7S-T, the APEX-7S-T-4G has the added implementation of 4G connectivity. This connectivity feature allows you to pair your APEX charger via 4G.



MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	190MM	320MM	144MM	5.6KG

APEX 22KW AC RANGE (THREE-PHASE)

PROJECT EV

APEX-22S



APEX 22KW PRO EARTH WALL AC CHARGER UNTETHERED

The APEX-22S is a three-phase, untethered, fast AC EV charger packed full of features, including a five-year warranty², built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WIFI and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.



Type 2
Socket



PRO EARTH
NO SPIKE REQUIRED



WIFI & BLUETOOTH
CONTROL



DYNAMIC LOAD
BALANCING
UP TO 96 UNITS

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	190MM	320MM	144MM	2.4KG

APEX-22S-4G



APEX 22KW PRO EARTH WALL AC CHARGER UNTETHERED

Including identical features & functionality to the APEX-22S, the APEX-22S-4G has the added implementation of 4G connectivity. This connectivity feature allows you to pair your APEX charger via 4G.



Type 2
Socket



PRO EARTH
NO SPIKE REQUIRED



4G & BLUETOOTH
CONTROL



DYNAMIC LOAD
BALANCING
UP TO 96 UNITS

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	190MM	320MM	144MM	2.4KG

APEX-22S-T



APEX 22KW PRO EARTH WALL AC CHARGER TETHERED

The APEX-22S-T is a three-phase, tethered, fast AC EV charger packed full of features, including a five-year warranty², built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WIFI and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.



TYPE 2
5M TETHERED CABLE



PRO EARTH
NO SPIKE REQUIRED



WIFI & BLUETOOTH
CONTROL



DYNAMIC LOAD
BALANCING
UP TO 96 UNITS

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	190MM	320MM	144MM	5.6KG

APEX-22S-T-4G



APEX 22KW PRO EARTH WALL AC CHARGER TETHERED

Including identical features & functionality to the APEX-22S-T, the APEX-22S-T-4G has the added implementation of 4G connectivity. This connectivity feature allows you to pair your APEX charger via 4G.



TYPE 2
5M TETHERED CABLE



PRO EARTH
NO SPIKE REQUIRED



4G & BLUETOOTH
CONTROL



DYNAMIC LOAD
BALANCING
UP TO 96 UNITS

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	190MM	320MM	144MM	5.6KG

APEX ACCESSORY RANGE

PROJECT EV

APEX-SPOST



FLOOR STAND FOR 7KW AND 22KW APEX CHARGERS

The APEX-SPOST is the perfect accompaniment to the APEX range of EV chargers, allowing the ability to floor mount your APEX EV charger.

This floor stand will be perfect for residential car parks or commercial environments, where wall mounting is not a viable option.

*charging unit not included

APEX-C7024



EV STEEL - APEX FRONT COVER PLATE

The APEX-C7024 comes in EV Steel, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

EV Steel²

APEX-C7021



BLACK OBSIDIAN - APEX FRONT COVER PLATE

The APEX-C7021 comes in Black Obsidian, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

Black Obsidian

APEX-C9016



GHOST WHITE - APEX FRONT COVER PLATE

The APEX-C9016 comes in Ghost White, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

Ghost White

APEX-C3024



CHERRY RED - APEX FRONT COVER PLATE

The APEX-C3024 comes in Cherry Red, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

Cherry Red

APEX-C5015



NITROUS BLUE - APEX FRONT COVER PLATE

The APEX-C5015 comes in Nitrous Blue, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

Nitrous Blue

APEX-C6036



RACING GREEN - APEX FRONT COVER PLATE

The APEX-C6036 comes in Racing Green, with a metallic finish.

*charging unit not included



Customise Your
EV Charger



Quick & Easy
Cover Swap

Racing Green

SINGLE OUTLET AC RANGE



EVA-07S-SE



7.3KW PRO EARTH SINGLE GUN CHARGER

The EVA-07S-SE and EVA-07S-SE-C is a single-phase, fast AC electric vehicle charger, that comes with built-in Pro Earth protection, meaning the charger does not require the addition of a costly earth spike upon installation. Our EVA-07S-SE comes packed with features as well as a market-leading five-year warranty.

Type 2 Socket	PRO EARTH NO SPIKE REQUIRED	CABLE LOCK SYSTEM	5 YEAR WARRANTY
------------------	--------------------------------	----------------------	--------------------

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	NO	240MM	380MM	144.5MM	<5KG

NOVO-EVA-07S-SE



NOVO 7.3KW PRO EARTH WALL CHARGER SINGLE GUN

The NOVO-EVA-07S-SE is a single-phase, untethered fast AC electric vehicle charger, that comes packed full of features. These include pen fault protection meaning no costly groundworks are required, a market leading five-year warranty, cable lock system, solar compatibility and RFID control capabilities.

Type 2 Socket	PRO EARTH NO SPIKE REQUIRED	CABLE LOCK SYSTEM	5 YEAR WARRANTY
------------------	--------------------------------	----------------------	--------------------

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	240MM	380MM	164MM	<3KG

NOVO-EVA-22S-SE



NOVO 22KW PRO EARTH WALL CHARGER SINGLE GUN

The NOVO-EVA-22S-SE is a three-phase, untethered fast AC electric vehicle charger, that comes packed full of features. These include pen fault protection meaning no costly groundworks are required, a market leading five-year warranty, cable lock system and RFID control capabilities.

Type 2 Socket	PRO EARTH NO SPIKE REQUIRED	CABLE LOCK SYSTEM	5 YEAR WARRANTY
------------------	--------------------------------	----------------------	--------------------

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	240MM	380MM	164MM	<3.5KG



DUAL OUTLET AC RANGE



EVA-07D-SE-W



7.3KW PRO EARTH WALL CHARGER DUAL GUN

The EVA-07D-SE-W is a single-phase dual AC charging unit. Packed with features, such as a no earth spike required installation. The dual gun charger is perfect for both domestic and commercial use with a market leading five-year warranty. The RFID unit comes with one RFID card as standard.



5 YEAR
WARRANTY



Type 2
x2 SOCKETS



DUAL GUN
PRO EARTH



IP65
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	360MM	562MM	176MM	16KG

EVA-22D-SE-W



22KW PRO EARTH WALL CHARGER DUAL GUN

The EVA-22D-SE-W is a three-phase dual AC charging unit. Packed with features, such as a no earth spike required installation. The dual gun charger is perfect for both domestic and commercial use with a market leading five-year warranty. The RFID unit comes with one RFID card as standard.



5 YEAR
WARRANTY



Type 2
x2 SOCKETS



DUAL GUN
PRO EARTH



IP65
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	360MM	562MM	176MM	16KG

EVA-07D-SE-RFID



7.3KW PRO EARTH FLOOR CHARGER DUAL GUN

The EVA-07D-SE-RFID is a single-phase dual gun AC charging station, packed with features and ideal for commercial use. This charger comes with a market leading five year warranty, cable lock system and RFID control. No earth spike is required with this unit, meaning no costly groundwork needs to take place resulting in an easy installation process.



5 YEAR
WARRANTY



Type 2
x2 SOCKETS



DUAL GUN
PRO EARTH



IP65
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
7.3KW	YES	320MM	1635MM	175MM	30KG

EVA-22D-SE-RFID



22KW PRO EARTH FLOOR CHARGER DUAL GUN

The EVA-22D-SE-RFID is a three-phase dual gun AC charging station, packed with features and ideal for commercial use. This charger comes with a market leading five year warranty, cable lock system and RFID control. No earth spike is required with this unit, meaning no costly groundwork needs to take place resulting in an easy installation process.



5 YEAR
WARRANTY



Type 2
x2 SOCKETS



DUAL GUN
PRO EARTH



IP65
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
22KW	YES	320MM	1635MM	175MM	30KG

DC RANGE



EVD-20S-P



20KW WALL CHARGER SINGLE GUN

The EVD-20S-P is a tethered three-phase, commercial DC charging unit, featuring a single CCS gun. This charger comes packed full of features, including a market-leading five year/30,000 hour warranty, IP54 protection, RFID control and can easily be connected to our bespoke app, allowing for easy fleet, cost management and load balancing.



5 YEAR / 30,000 HOUR
WARRANTY



CCS
CONNECTOR



COMMERCIAL
CHARGING



IP54
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
20KW	YES	630MM	450MM	210MM	<45KG

EVD-40S-P



40KW SINGLE GUN - CCS

The EVD-40S-P is a tethered three-phase, commercial DC charging unit, featuring a single CCS gun. This charger comes packed full of features, including a market-leading five year/30,000 hour warranty, IP54 protection, RFID control and can easily be connected to our bespoke app, allowing for easy fleet, cost management and load balancing.



5 YEAR / 30,000 HOUR
WARRANTY



CCS
CONNECTOR



COMMERCIAL
CHARGING



IP54
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
40KW	YES	540MM	760MM	271MM	70KG

EVD-40D-P-CC



40KW DUAL GUN DC CHARGER - CCS X 2

The EVD-40D-P-CC is a three-phase, commercial DC charging unit, featuring two CCS guns.

The charger comes with all the same features as the EVD-40S-P, with the added extra of having two charging guns, meaning it is easy to charge multiple vehicles at the same time.



5 YEAR / 30,000 HOUR
WARRANTY



CCS
x2 CONNECTOR



COMMERCIAL
CHARGING



IP54
PROTECTION

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
40KW	YES	540MM	760MM	271MM	94KG



MODULAR DC RANGE



EVD-80D-CC



80KW FLOOR DUAL GUN DC CHARGER - CCS X 2

The EVD-80D-CC is a 80kW rapid DC charger with two CCS charging outlets. With it's high power output, it's perfect for commercial charging application. Being fully compatible with the Project EV Pro App, the EVD-80D-CC allows for easy fleet and cost management, as well as being able to manage load balancing for larger scale charging across multiple vehicles.

 5 YEAR / 30,000 HOUR WARRANTY	 CCS x2 CONNECTOR	 COMMERCIAL CHARGING	 IP54 PROTECTION
---	--	---	---

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
80KW	YES	600MM	1883MM	803MM	250KG

EVD-120D-CC



120KW FLOOR DUAL GUN DC CHARGER - CCS X 2

The EVD-120D-CC is a 120kW ultra-rapid DC charger with two CCS charging outlets. With it's high power output, it's perfect for commercial charging application. Being fully compatible with the Project EV Pro App, allows for easy fleet and cost management, as well as being able to manage load balancing for larger scale charging across multiple vehicles.

 5 YEAR / 30,000 HOUR WARRANTY	 CCS x2 CONNECTOR	 COMMERCIAL CHARGING	 IP54 PROTECTION
---	--	---	---

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
120KW	YES	600MM	1883MM	803MM	280KG

EVD-160D-CC



160KW FLOOR DUAL GUN DC CHARGER - CCS X 2

The EVD-160D-CC is a 160kW ultra-rapid DC charger with two CCS charging outlets. With it's high power output, it's perfect for commercial charging application. Being fully compatible with the Project EV Pro App, allows for easy fleet and cost management, as well as being able to manage load balancing for larger scale charging across multiple vehicles.

 5 YEAR / 30,000 HOUR WARRANTY	 CCS x2 CONNECTOR	 COMMERCIAL CHARGING	 IP54 PROTECTION
---	--	---	---

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
160KW	YES	600MM	1883MM	803MM	300KG

EVD-200D-CC



200KW FLOOR DUAL GUN DC CHARGER - CCS X 2

The EVD-200D-CC is a 200kW ultra-rapid DC charger with two CCS charging outlets. With it's high power output, it's perfect for commercial charging application. Being fully compatible with the Project EV Pro App, allows for easy fleet and cost management, as well as being able to manage load balancing for larger scale charging across multiple vehicles.

 5 YEAR / 30,000 HOUR WARRANTY	 CCS x2 CONNECTOR	 COMMERCIAL CHARGING	 IP54 PROTECTION
---	--	---	---

MAX OUTPUT POWER	RFID CONTROL	WIDTH	HEIGHT	DEPTH	WEIGHT
200KW	YES	600MM	1883MM	803MM	320KG

ACCESSORY RANGE



EV-FLRSTAND



FLOOR STAND - EVA-07S-SE

The EV-FLRSTAND is the perfect accompaniment to the AC single gun range of EV chargers, allowing the ability to floor mount your EV charger.

This floor stand will be perfect for residential car parks or commercial environments, where wall mounting is not a viable option.

*charging unit not included

EV-SEW-FLRSTAND



FLOOR STAND - EVA-07D-SE-W / EVA-22D-SE-W

Want an electric vehicle charger but don't have a suitable wall space to mount a unit on?

No problem, get yourself an EV mounting pole. The EV-SEW-FLRSTAND is suitable for all dual wall EV charging variants, allowing you the ability to floor mount your charger point.

*charging unit not included

EV-FLRSTAND20KW



FLOOR STAND - EVD-20S-P

Want an electric vehicle charger but don't have a suitable wall space to mount a unit on?

No problem, get yourself an EV mounting pole. The EV-FLRSTAND20KW is suitable for all 20kW EV charging variants, allowing you the ability to floor mount your charger point.

*charging unit not included

EV-FLRSTAND40KW



FLOOR STAND - EVD-40S-P/EVD-40D-P-CC

Want an electric vehicle charger but don't have a suitable wall space to mount a unit on?

No problem, get yourself an EV mounting pole. The EV-FLRSTAND40KW is suitable for all 40kW EV charging variants, allowing you the ability to floor mount your charger point.

*charging unit not included

EV-RFID



ADDITIONAL RFID CARD

Get additional RFID cards for your charge point, allowing for multiple people to have the ability to control your charger, through a simple swipe of a card.

EV-4G-SIM



4G SIM CARD

With the EV-4G-SIM kit you can unlock the potential to give your chargepoint access to 4G Networks, combined with the addition of a 4G sim card.

ACCESSORY RANGE



EVA-7KW



7KW (TYPE 2-2) 5M CABLE 32A

Need a cable to go along with your new Project EV charger?

No worries, we have a selection of EV charging cables available for you to choose from, including our single phase (32 amp) 5M type 2 to type 2 cable.



IP55
PROTECTION



Type 2
CONNECTOR

EVA-22-32A-2-2-5M



22KW (TYPE 2-2) 5M CABLE 32A

Need a cable to go along with your new Project EV charger?

No worries, we have a selection of EV charging cables available for you to choose from, including our three phase (32 amp) 5M type 2 to type 2 cable.



IP55
PROTECTION



Type 2
CONNECTOR

EVA-22-32A-2-2-7.5M



22KW (TYPE 2-2) 7.5M CABLE 32A

Need a cable to go along with your new Project EV charger?

No worries, we have a selection of EV charging cables available for you to choose from, including our three phase (32 amp) 7.5M type 2 to type 2 cable.



IP55
PROTECTION



Type 2
CONNECTOR

EVA-22-32A-2-2-10M



22KW (TYPE 2-2) 10M CABLE 32A

Need a cable to go along with your new Project EV charger?

No worries, we have a selection of EV charging cables available for you to choose from, including our three phase (32 amp) 10M type 2 to type 2 cable.



IP55
PROTECTION



Type 2
CONNECTOR

EVA-22-32A-2-2-15M



22KW (TYPE 2-2) 15M CABLE 32A

Need a cable to go along with your new Project EV charger?

No worries, we have a selection of EV charging cables available for you to choose from, including our three phase (32 amp) 15M type 2 to type 2 cable.



IP55
PROTECTION



Type 2
CONNECTOR



ACCESSORY RANGE



EV-SIGN1



PARKING SIGN

Clearly mark parking spaces with signage, to distinguish ordinary car parking spaces from those allocated for electric vehicle charging.

EV-SPM-200AE



SINGLE PHASE METER - 200AMP

Unlock dynamic load management, for all charging units that do not have CT Clamp capabilities, with the Single-Phase Meter 200amp.

EV-TPM-100AE



THREE PHASE METER - 100AMP

Unlock dynamic load management, for all charging units that do not have CT Clamp capabilities, with the Single-Phase Meter 100amp.

EV-TPM-250AE



THREE PHASE METER - 250AMP

Unlock dynamic load management, for all charging units that do not have CT Clamp capabilities, with the Three-Phase Meter 250amp.

EV-GMEVA-S-2



GROUND MOUNT - EVA-07S-SE

Make sure your electric vehicle charge point & mounting pole is securely placed into the ground with the EV-GMEVA-S-2

Suitable for EVA-07S-SE models, mounted via an EV-FLRSTAND.

EV-GMEVA-D-2



GROUND MOUNT - EVA-07D-SE-RFID/EVA-22D-SE-RFID


Make sure your electric vehicle charge point & mounting pole is securely placed into the ground with the EV-GMEVA-D-2.

Suitable for EVA-07D-SE-RFID and EVA-22D-SE-RFID models.

ACCESSORY RANGE



EV-GM40KW-2



GROUND MOUNT - EVD-40S-P/EVD-40D-P-CC

Make sure your electric vehicle charge point & mounting pole is securely placed into the ground with the EV-GM40KW.

Suitable for 40kW models, mounted via an EV-FLRSTAND40.

EV-POST2



PROTECTION POST

Protect your charge points from bumps and scuffs with the Project EV protection post.

*charging unit not included